

COPY

Serial No. 10/728,966

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re: Application of: **Marco Norma** Date: January 7, 2005

Serial No: 10/728,966

Art Unit: 3739

5 Filed: 12/8/2003

Examiner: **Gilbert, Samuel G.**

Atty. Dkt. No. 230253

Title: **CLITORIS STIMULATOR**

AMENDMENT AFTER FINAL OFFICE ACTION

10

CERTIFICATION OF FACSIMILE TRANSMISSION


15

I HEREBY CERTIFY that this paper is being facsimile transmitted to the U.S. Patent & Trademark Office on **January 7, 2005**. I have been warned that willful false statements and the like are punishable by fine or imprisonment, or both (18 U.S.C. 1001), and may jeopardize the validity of this application, document, registration or patent resulting therefrom.

20

Vicky Prendes, Patent Department

(Typed or printed name of the person signing the certificate)


(Signature of the person signing the certificate)

25

FROM: SANCHELIMA & ASSOCIATES, P.A.
235 SW Le Jeune Road, Miami, Florida 33134
Ph:(305)447-1617 Fax:(305)445-8484

30

TO: **Patent and Trademark Office**
Attn. **Examiner: Samuel G. Gilbert/ Art Unit: 3739**
Fax No. **703-872-9306**

Papers included: Amendment.

35

Hon. Commissioner of Patents
Mail Stop: **NON-FEE AMENDMENT**
P.O. Box 1450
Alexandria, VA 22313-1450

40

Sir:
In response to the Final Office Action, please amend the above referenced application as follows.

INTRODUCTORY COMMENTS

The Examiner has rejected claims 1 and 4 under 35 U.S.C. 102(b), as being anticipated by Stigar-Brown (US patent No. 6,056,705). Also, the

5 Examiner has rejected claims 1 and 4 under 35 U.S.C. 102(b), as being anticipated by Micro-Vibe reference. Applicant has rewritten claims 1 and 4 incorporating the limitations of claims 2 and 5, respectively. Therefore, these rejections are moot. Claims 2 and 5 have been cancelled.

10 Finally, the Examiner has rejected claims 1 through 6 under 35 U.S.C. 102(e), as being anticipated by Klein (Publication No. 2003/ 0181784). Applicant has further clarified the manner in which the labia are held to accomplish the objective of keeping the vibrating means in contact with the clitoris.